

**Release date**

09.10.2017

**Product name / Part no.**

VOLTRONIC® Motor Oil GranTurismo XM Blue

**Product appearance**



**Packaging / content**

1, 60, 200, 1000, 24000 (Litres)

**Country of origin**

Made in Germany

|                                    |  |
|------------------------------------|--|
| <b>Manufacturer</b>                | VOLTRONIC GmbH<br>Weidenweg 6<br>73087 Bad Boll<br>Germany.<br>Telefon (+49) 7164 9030 574<br>Telefax (+49) 7164 9039 268  |
| <b>Compliance standard</b>         | DIN EN ISO 14001:2007<br>DIN EN ISO 9001:2008  |
| <b>Product liability insurance</b> | LVM insurance Germany.   |
| <b>Usage area</b>                  | <p>VOLTRONIC ® GranTurismo XM Blue is high performance fully synthetic multigrade racing performance 4T motor oil for high performance 4 strokes motorcycle and scooter engines with wet clutch where required JASO MA2 standard motor oil.</p> <p><b>Features</b></p> <ul style="list-style-type: none"> <li>▪ The original motor oil made in Germany.</li> <li>▪ With ESTER 4X Technology ultimate engine lubrication and protection to meet all terrain driving conditions e.g. stop-and-go traffic, acceleration as well constant speed touring.</li> <li>▪ High shear stability, maintain oil film and oil pressure at high power and high temperature.</li> <li>▪ Extreme light running.</li> <li>▪ Excellent fuel economy.</li> <li>▪ Special motor oil for wet clutch, resist clutch slippage at high revs and high power.</li> <li>▪ Promote smooth shifting.</li> <li>▪ Protect gearbox from pitting.</li> <li>▪ Suitable for catalytic converter system.</li> </ul> <p><b>Application</b></p> <p>Special multigrade racing performance motor oil for high performance 4T motorcycle and scooter engines with wet clutch system where required JASO MA2 standard motor oil. Meet requirements BMW, DUCATI, HONDA, KAWASAKI, KTM, PIAGGIO, SUZUKI, YAMAHA and etc.</p> <p><b>Performance Level / Compatibility</b></p> <p>Exceeds API SN and JASO MA2 standard. Excellent protection against engine noise, wear, oxidation and oil pressure drop due to high temperature condition. Promote smooth shifting. Ultimate engine protection to meet all terrain driving conditions e.g. stop-and-go traffic, acceleration as well constant speed touring. Meet requirements BMW, DUCATI, HONDA, KAWASAKI, KTM, PIAGGIO, SUZUKI, YAMAHA and etc.</p> |

**Physical and chemical characteristic**

Chemical composition:  
▪ 79% Fully synthetic base oil  
▪ 21% Additive package

|                         |   |                      |
|-------------------------|---|----------------------|
| State                   | : | Liquid               |
| Colour                  | : | Yellow-tan           |
| Odour                   | : | Characteristic odour |
| Solubility in water     | : | Insoluble            |
| Viscosity               | : | Oily                 |
| Boiling pint/range (°C) | : | N.A.                 |
| Flash point (°C)        | : | >240                 |
| Vapour pressure (hPa)   | : | <0.1                 |
| Relative density        | : | 0.8546               |

**Disclaimer**

The above information is believed to be correct but does not purport to be all inclusive and shall be used as guidance only. User must observe the usage direction, local regulatory authority and available MSDS/SDS (Material Safety Data Sheet/Safety Data Sheet). This Technical Data Sheet comprises complex high technology information about the product and might be update or change without prior notice. Please contact our technical support for more detail information.

Technical support email: [support@voltronic-germany.com](mailto:support@voltronic-germany.com)

**Contact us**

VOLTRONIC GmbH  
Weidenweg 6  
73087 Bad Boll  
Germany.

Registergericht Ulm HRB 729440  
USt.-Id.Nr.: DE289571328

Telefon (+49) 7164 9030 573  
Telefon (+49) 7164 9030 574  
Telefax (+49) 71649 039 268

[info@voltronic-germany.com](mailto:info@voltronic-germany.com)  
[www.voltronic-germany.com](http://www.voltronic-germany.com)

Sales enquiry  
[sales@voltronic-germany.com](mailto:sales@voltronic-germany.com)